EXHIBIT 29

TIANMA
(/)

Company & Services (/company-services)   Products & Technology (/products-technology)   News & Information (/news-information)

PRODUCT SEARCH

Brand

| All Products ▼ |

Size

DragDrag

Resolution

| All Resolutions ▼ |

Brightness (Typical)

DragDrag

○ Alpha ◉   Numeric ✔

Interface

| ▼ |

Search

Part Number	Diagonal Size (in)	Resolution	Module Size	Interface	Contrast Ratio	Brightness (nits)	Oper. Temp (°C)	Touch Panel	Viewing Angle (T|B|L|R)	Comp. Prod.
TM020GDH43-00	2.0	176 x 220	38.03 x 51.65 x 2.50	CPU	500:1	220	-20 to +70	No	70/60/70/70	Add
TM022HDHT11-00	2.2	240 x 320	40.60 x 56.60 x 2.70	RGB	120:1	90	-20 to +70	No	48/45/40/45	Add
TM023KDZ32-10	2.3	320 x 240	53.30 x 46.90 x 2.25	CPU	350:1	320	-20 to 70	No	60/45/55/55	Add
TM024HDH49-00	2.4	240 x 320	42.72 x 60.26 x 2.55	CPU	500:1	200	-20 to +70	No	70/60/70/70	Add
TM028HBHG55-00	2.8	240 x 320	49.90 x 66.10 x 3.90	RGB	500:1	250	-20 to +70	RTP	70/60/70/70	Add
TM028HDHG59-01	2.8	240 x 320	49.90 x 66.10 x 2.70	RGB	500:1	300	-20 to +70	No	70/60/70/70	Add
TM030LDHT1-00	3.0	240 x 400	47.28 x 76.40 x 2.40	RGB	100:1	130	-20 to +70	No	55/40/40/45	Add
TM035KBH02-09	3.5	320 x 240	76.90 x 63.90 x 4.00	RGB	500:1	420	-20 to +60	RTP	60/70/70/70	Add
TM035KDH03-79	3.5	320 x 240	76.90 x 63.90 x 3.15	RGB	500:1	300	-20 to +70	No	60/70/70/70	Add
TM035KDH04-09	3.5	320 x 240	76.90 x 63.90 x 2.80	RGB	500:1	500	-20 to +70	No	60/70/70/70	Add
TM035KVHG01-40	3.5	320 x 240	79.90 x 68.90 x 4.38	RGB	500:1	400	-20 to +70	PCAP	60/70/70/70	Add
TM035PDHG03-00	3.5	320 x 480	55.26 x 84.69 x 2.20	RGB	500:1	300	-20 to +70	No	70/60/70/70	Add
TM040YDHG32-00	4.0	480 x 800	56.34 x 95.70 x 1.83	MIPI	800:1	550	-20 to +70	No	80/80/80/80	Add
TM043NBH02-40	4.3	480 x 272	105.50 x 67.20 x 4.15	RGB	800:1	280	-20 to +70	RTP	70/50/70/70	Add
TM043NBHG04-00	4.3	480 x 272	105.50 x 67.20 x 4.10	RGB	800:1	800	-20 to +70	RTP	70/60/70/70	Add
TM043NDH02-40	4.3	480 x 272	105.50 x 67.20 x 2.90	RGB	800:1	400	-20 to +70	No	75/55/75/75	Add
TM043NDHG11-00	4.3	480 x 272	105.50 x 67.20 x 2.90	RGB	800:1	885	-20 to +70	No	70/60/70/70	Add
TM043NDHG12-00	4.3	480 x 272	105.50 x 67.20 x 2.90	RGB	500:1	270	-20 to +80	No	50/70/70/70	Add
TM043NVHG08-00	4.3	480 x 272	113.44 x 71.46 x 4.55	RGB	900:1	350	-20 to +70	PCAP	80/60/80/80	Add
TM043YDHG30-40	4.3	480 x 800	61.96 x 104.50 x 1.90	RGB	800:1	300	-20 to +70	No	85/85/85/85	Add

Go to the first pageGo to the previous page

- 1
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Go to the next pageGo to the last page1 - 20 of 173 items

JDI0006257

TIANMA
(/)

Company & Services (/company-services)   Products & Technology (/products-technology)   News & Information (/news-information)

PRODUCT SEARCH

Brand

| All Products ▾ |

Resolution

| All Resolutions ▾ |

○ Alpha ◉   Numeric ✔

Interface

| ▾ |

Size

DragDrag

Brightness (Typical)

DragDrag

Search

Part Number	Diagonal Size (in)	Resolution	Module Size	Interface	Contrast Ratio	Brightness (nits)	Oper. Temp (°C)	Touch Panel	Viewing Angle (T|B|L|R)	Comp. Prod.
TM043YVHG35-00	4.3	480 x 800	67.5 x 117.7 x 4.775	RGB	800 : 1	300	-20 to +70	PCAP	85/85/85/85	Add
TM050JDHG33-00	5.0	720 x 1280	65.40 x 118.90 x 1.70	MIPI	800:1	600	-20 to +70	No	80/80/80/80	Add
TM050RBH01-41	5.0	800 x 480	120.70 x 75.80 x 3.00	RGB	450:1	300	-20 to +70	RTP	50/70/70/70	Add
TM050RDH03-41	5.0	800 x 480	120.70 x 75.80 x 3.10	RGB	600:1	250	-20 to +70	No	50/70/70/70	Add
NL3224AC36-01D	5.7	320 x 240	144.0 x 104.6 x 12.3	RGB	900:1	500	-30 to 80		80/80/80/80	Add
NL3224AC36-01F	5.7	320 x 240	144.0 x 104.6 x 12.3	RGB	900:1	800	-30 to 80		80/80/80/80	Add
NL6448AC18-08D	5.7	640 x 480	144.0 x 104.6 x 12.3	RGB	900:1	550	-30 to 80		80/80/80/80	Add
NL6448AC18-08F	5.7	640 x 480	144.0 x 104.6 x 12.3	RGB	900:1	800	-30 to 80		80/80/80/80	Add
NL6448AC18-11D	5.7	640 x 480	144.0 x 104.6 x 12.3	LVDS	900:1	550	-30 to 80		80/80/80/80	Add
NL6448AC18-12F	5.7	640 x 480	144.0 x 104.6 x 12.3	RGB	900:1	800	-30 to 80		80/80/80/80	Add
NL6448BC18-07	5.7	640 x 480	127.2 x 100.4 x 5.8	RGB	900:1	300	-30 to 70		80/80/80/80	Add
TM057KBHG01-40	5.7	320 x 240	144.00 x 104.60 x 13.50	RGB	500:1	320	-20 to +70	RTP	70/60/70/70	Add
TM057KDH01-10	5.7	320 x 240	144.00 x 104.60 x 12.30	RGB	500:1	400	-20 to +70	No	70/60/70/70	Add
TM057QDH01-41	5.7	640 x 480	144.00 x 104.60 x 12.30	RGB	500:1	400	-20 to +70	No	70/60/70/70	Add
NL10276BC13-01	6.5	1024 x 768	153 x 118 x 9	LVDS	500:1	500	-20 to 70		80/60/80/80	Add
NL10276BC13-01C	6.5	1024 x 768	153 x 118 x 9	LVDS	500:1	650	-20 to 70		80/60/80/80	Add
NL10276BC13-01JA	6.5	1024 x 768	153 x 118 x 10	LVDS	500:1	480	-20 to 70	PCAP	80/60/80/80	Add
NL6448BC20-21C	6.5	640 x 480	153 x 118 x 9.0	LVDS	600:1	800	-20 to 70		80/60/80/80	Add
NL6448BC20-21D	6.5	640 x 480	153 x 118 x 9.0	LVDS	600:1	550	-20 to 70		80/60/80/80	Add
NL6448BC20-30	6.5	640 x 480	153 x 118 x 8.2	LVDS	800:1	600	-30 to 80		80/80/80/80	Add

Go to the first pageGo to the previous page

- 2
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Go to the next pageGo to the last page21 - 40 of 173 items

JDI0006258

Company & Services (/company-services)　　　　Products & Technology (/products-technology)　　　　News & Information (/news-information)

PRODUCT SEARCH

Brand

All Products ▾

Size

DragDrag

Resolution

All Resolutions ▾

Brightness (Typical)

DragDrag

○ Alpha ◉　　Numeric ✔

Interface

▾

Search

Part Number	Diagonal Size (in)	Resolution	Module Size	Interface	Contrast Ratio	Brightness (nits)	Oper. Temp (°C)	Touch Panel	Viewing Angle (T|B|L|R)	Comp. Prod.
NL6448BC20-30C	6.5	640 x 480	153 x 118 x 8.2	LVDS	800:1	1000	-30 to 80		80/80/80/80	Add
NL6448BC20-30D	6.5	640 x 480	153 x 118 x 8.2	LVDS	800:1	600	-30 to 80		80/80/80/80	Add
NL6448BC20-30F	6.5	640 x 480	153 x 118 x 8.2	LVDS	800:1	1000	-30 to 80		80/80/80/80	Add
NL6448BC20-30JF	6.5	640 x 480	153 x 118 x 9.3	LVDS	800:1	950	-30 to 80	PCAP	80/80/80/80	Add
NL6448BC20-35	6.5	640 x 480	153 x 118 x 8.2	RGB	800:1	600	-30 to 80		80/80/80/80	Add
NL6448BC20-35C	6.5	640 x 480	153 x 118 x 8.2	RGB	800:1	1000	-30 to 80		80/80/80/80	Add
NL6448BC20-35D	6.5	640 x 480	153 x 118 x 8.2	RGB	800:1	600	-30 to 80		80/80/80/80	Add
NL6448BC20-35F	6.5	640 x 480	153 x 118 x 8.2	RGB	800:1	1000	-30 to 80		80/80/80/80	Add
NL8048AC19-13	7.0	800 x 480	170.0 x 111.0 x 8.5	LVDS	800:1	500	-30 to 80		80/80/80/80	Add
NL8048AC19-13BD	7.0	800 x 480	170.0 x 111.0 x 10.6	LVDS	800:1	430	-30 to 80	PCAP	80/80/80/80	Add
NL8048AC19-14F	7.0	800 x 480	170.0 x 111.0 x 8.5	LVDS	800:1	1000	-30 to 80		80/80/80/80	Add
NL8048BC19-02	7.0	800 x 480	170.0 x 111.0 x 8.5	LVDS	1000:1	400	-20 to 70		80/80/80/80	Add
NL8048BC19-02C	7.0	800 x 480	170.0 x 111.0 x 8.5	LVDS	800:1	550	-20 to 70		80/80/80/80	Add
NL8048BC19-03	7.0	800 x 480	170.0 x 111.0 x 8.5	LVDS	1000:1	400	-20 to 70		80/80/80/80	Add
NLB070WV01C-01	7.0	800 x 480	170.0 x 111.0 x 8.25	RGB	800:1	300	-20 to 70		70/70/70/70	Add
NLB070WV01L-01	7.0	800 x 480	170.0 x 111.0 x 8.25	LVDS	800:1	300	-20 to 70		70/70/70/70	Add
TM070DDHG03-40	7.0	1024 x 600	165.75 x 105.39 x 3.40	LVDS	500:1	320	-20 to +70	No	70/75/75/75	Add
TM070JDHG30-00	7.0	1280 x 800	161.00 x 107.00 x 3.35	LVDS	800:1	400	-20 to +70	No	88/88/88/88	Add
TM070JVHG33-01	7.0	1280 x 800	179.76 x 123.6 x 6.35	LVDS	800:1	500	-20 to +70	PCAP	85/85/85/85	Add
TM070RBH10-41	7.0	800 x 480	164.90 x 100.00 x 6.80	RGB	1000:1	350	-20 to +70	RTP	60/80/80/80	Add

Go to the first pageGo to the previous page
- 3
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Go to the next pageGo to the last page 41 - 60 of 173 items

⊻ TIANMA
(/)

Company & Services (/company-services)   **Products & Technology** (/products-technology)   **News & Information** (/news-information)

PRODUCT SEARCH

Size

Brand

| All Products ▼ |

DragDrag

Resolution

| All Resolutions ▼ |

Brightness (Typical)

DragDrag

○ Alpha ⦿   Numeric ✔

Interface

| ▼ |

Search

Part Number	Diagonal Size (in)	Resolution	Module Size	Interface	Contrast Ratio	Brightness (nits)	Oper. Temp (°C)	Touch Panel	Viewing Angle (T|B|L|R)	Comp. Prod.
TM070RDH10-40	7.0	800 x 480	164.90 x 100.00 x 5.70	RGB	1000:1	450	-20 to +70	No	60/80/80/80	Add
TM070RDH13-40	7.0	800 x 480	164.90 x 100.00 x 5.7	RGB	500:1	300	-20 to +70	-30 to +80	60/70/70/70	Add
TM070RDHG23-40	7.0	800 x 480	164.90 x 100.00 x 5.70	RGB	1000:1	1400	-20 to +70	No	60/80/80/80	Add
NL8048AC21-01F	8.0	800 x 480	192.0 x 122.0 x 8.9	LVDS	800:1	1000	-30 to 80		80/80/80/80	Add
TM080SDH01-41	8.0	800 x 600	183.00 x 141.00 x 5.60	RGB	500:1	250	-20 to +70	No	50/70/70/70	Add
NL10276BC16-06	8.4	1024 x 768	200.0 x 152.0 x 8.2	LVDS	1000:1	600	-20 to 70		88/88/88/88	Add
NL10276BC16-06D	8.4	1024 x 768	200.0 x 152.0 x 8.2	LVDS	1000:1	600	-20 to 80		88/88/88/88	Add
NL6448AC26-47D	8.4	640 x 480	221 x 152.4 x (9.0)	RGB	1000:1	310	-20 to 70		80/80/80/80	Add
NL6448BC26-20F	8.4	640 x 480	200 x 152 x 10.5	RGB	1000:1	800	-20 to 70		80/80/80/80	Add
NL6448BC26-22F	8.4	640 x 480	200 x 152 x 10.5	RGB	1000:1	800	-20 to 70		80/80/80/80	Add
NL6448BC26-26	8.4	640 x 480	200 x 152 x 8.2	RGB	1000:1	500	-30 to 80		80/80/80/80	Add
NL6448BC26-26C	8.4	640 x 480	200 x 152 x 8.2	RGB	1000:1	900	-30 to 80		80/80/80/80	Add
NL6448BC26-26D	8.4	640 x 480	200 x 152 x 8.2	RGB	1000:1	500	-30 to 80		80/80/80/80	Add
NL6448BC26-26F	8.4	640 x 480	200 x 152 x 8.2	RGB	1000:1	900	-30 to 80		80/80/80/80	Add
NL6448BC26-27	8.4	640 x 480	200.0 x 152.0 x 8.2	LVDS	1000:1	500	-30 to 80		80/80/80/80	Add
NL6448BC26-27C	8.4	640 x 480	200.0 x 152.0 x 8.2	LVDS	1000:1	900	-20 to 70		80/80/80/80	Add
NL6448BC26-27D **View Details** (/products-technology/product/NL6448BC26-27D)	8.4	640 x 480	200.0 x 152.0 x 8.2	LVDS	1000:1	500	-30 to 80		80/80/80/80	Add
NL6448BC26-27F	8.4	640 x 480	200 x 152 x 8.2	LVDS	1000:1	900	-30 to 80		80/80/80/80	Add
NL8060AC21-21D	8.4	800 x 600	200.0 x 152.0 x 8.2	LVDS	800:1	400	-30 to 80		80/80/80/80	Add
NL8060BC21-11	8.4	800 x 600	200 x 152.0 x 8.2	LVDS	800:1	400	-30 to 80		80/80/80/80	Add

Go to the first pageGo to the previous page

- 4
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Go to the next pageGo to the last page61 - 80 of 173 items

☑TIANMA

(/)

Company & Services (/company-services)   Products & Technology (/products-technology)   News & Information (/news-information)

PRODUCT SEARCH

Brand

| All Products ▼ |

Resolution

| All Resolutions ▼ |

○ Alpha ◉   Numeric ✔

Interface

| ▼ |

Size

DragDrag

Brightness (Typical)

DragDrag

Search

Part Number	Diagonal Size (in)	Resolution	Module Size	Interface	Contrast Ratio	Brightness (nits)	Oper. Temp (°C)	Touch Panel	Viewing Angle (T|B|L|R)	Comp. Prod.
NL8060BC21-11C	8.4	800 x 600	200 x 152.0 x 8.2	LVDS	800:1	800	-30 to 80		80/80/80/80	Add
NL8060BC21-11D	8.4	800 x 600	200 x 152.0 x 8.2	LVDS	800:1	400	-30 to 80		80/80/80/80	Add
NL8060BC21-11F	8.4	800 x 600	200 x 152.0 x 8.2	LVDS	800:1	800	-30 to 80		80/80/80/80	Add
NL8060BC21-11KG	8.4	800 x 600	200.0 x 152.0 x 10.1	LVDS	800:1	750	-30 to 80	PCAP	80/80/80/80	Add
NLB084SV01L-01	8.4	800 x 600	200 x 152.0 x 8.2	LVDS	800:1	400	-20 to 70		80/80/80/80	Add
TM084SDHG01-00	8.4	800 x 600	203 x 142.5 x 5.7	LVDS	500 : 1	250	-20 to +70	NO	60/70/70/70	Add
TM084SDHG02-00	8.4	800 x 600	203.00 x 142.50 x 5.70	LVDS	500:1	350	-20 to +70	No	60/70/70/70	Add
NL10260BC19-01D	8.9	1024 x 600	214.0 x 129.0 x 5.7	LVDS	700:1	300	-20 to 70		88/88/88/88	Add
NL192108AC10-01D	9.0	1920 x 1080	214.6 x 130.0 x 9.1	LVDS, 2ch	700:1	400	-20 to 70		88/88/88/88	Add
NL8048BC24-09	9.0	800 x 480	220.5 x 136.5 x 8.2	LVDS	800:1	400	-20 to 70		88/88/88/88	Add
NL8048BC24-09D	9.0	800 x 480	220.5 x 136.5 x 8.2	LVDS	800:1	400	-20 to 70		88/88/88/88	Add
NL8048BC24-12	9.0	800 x 480	220.5 x 136.5 x 8.2	LVDS	900:1	450	-20 to 70		80/80/80/80	Add
NL8048BC24-12D	9.0	800 x 480	220.5 x 136.5 x 8.2	LVDS	900:1	450	-20 to 70		80/80/80/80	Add
TM101DDHG01-00	10.1	1024 x 600	235.00 x 143.00 x 4.90	LVDS	800:1	420	-20 to +70	No	75/80/80/80	Add
TM101JDHG30-00	10.1	1280 x 800	231.22 x 150.60 x 4.30	LVDS	800:1	500	-20 to +70	No	85/85/85/85	Add
TM101JDHP01-00	10.1	1280 x 800	229.46 x 149.10 x 2.50	LVDS	800:1	400	-10 to +50	No	85/85/85/85	Add
TM101JVHG30-00	10.1	1280 x 800	233.93 x 156.00 x 6.73	LVDS	800:1	430	-20 to +70	PCAP	85/85/85/85	Add
TM101JVHG32-01	10.1	1280 x 800	258.66 x 177.30 x 12.45	LVDS	800:1	850	-20 to +70	PCAP	85/85/85/85	Add
NL10276BC20-18	10.4	1024 x 768	228.0 x 178.5 x 8.7	LVDS	900:1	400	-20 to 70		80/80/80/80	Add
NL10276BC20-18BD	10.4	1024 x 768	228.0 x 178.5 x tbd	LVDS	900:1	350	-30 to 80	PCAP	80/80/80/80	Add

Go to the first pageGo to the previous page

Go to the next pageGo to the last page81 - 100 of **173** items

JDI0006261

TIANMA
(/)

Company & Services (/company-services)   Products & Technology (/products-technology)   News & Information (/news-information)

PRODUCT SEARCH

Size

Brand

| All Products | ▼ |

DragDrag

Resolution

| All Resolutions | ▼ |

Brightness (Typical)

DragDrag

○ Alpha ◉ Numeric ✔

Interface

| | ▼ |

Search

Part Number	Diagonal Size (in)	Resolution	Module Size	Interface	Contrast Ratio	Brightness (nits)	Oper. Temp (°C)	Touch Panel	Viewing Angle (T|B|L|R)	Comp. Prod.
NL10276BC20-18C	10.4	1024 x 768	228.0 x 178.5 x 8.7	LVDS	900:1	800	-30 to 80		80/80/80/80	Add
NL10276BC20-18D	10.4	1024 x 768	228.0 x 178.5 x 8.7	LVDS	900:1	400	-30 to 80		80/80/80/80	Add
NL10276BC20-18F	10.4	1024 x 768	228.0 x 178.5 x 8.7	LVDS	900:1	800	-30 to 80		80/80/80/80	Add
NL10276BC20-18KD	10.4	1024 x 768	228.0 x 178.5 x 10.7	LVDS	900:1	380	-30 to 80	PCAP	80/80/80/80	Add
NL10276BC20-47	10.4	1024 x 768	227 x 175.4 x 8.7	LVDS	700:1	300	0 to 55		88/88/88/88	Add
NL6448AC33-97D	10.4	640 x 480	246.5 x 179.4 x 9.5	RGB	900:1	370	-30 to 80		80/80/80/80	Add
NL6448BC33-70	10.4	640 x 480	243 x 185.1 x 10.5	RGB	900:1	450	-30 to 80		80/80/80/80	Add
NL6448BC33-70C	10.4	640 x 480	243 x 185.1 x 10.5	RGB	900:1	900	-30 to 80		80/80/80/80	Add
NL6448BC33-70D	10.4	640 x 480	243 x 185.1 x 10.5	RGB	900:1	450	-30 to 80		80/80/80/80	Add
NL6448BC33-70F	10.4	640 x 480	243 x 185.1 x 10.5	RGB	900:1	900	-30 to 80		80/80/80/80	Add
NL6448BC33-70G	10.4	640 x 480	243 x 185.1 x 10.5	RGB	900:1	450	-30 to 80		80/80/80/80	Add
NL6448BC33-71	10.4	640 x 480	243.0 x 185.1 x 10.5	LVDS	900:1	450	-30 to 80		80/80/80/80	Add
NL6448BC33-71C	10.4	640 x 480	243.0 x 185.1 x 10.5	LVDS	900:1	900	-30 to 80		80/80/80/80	Add
NL6448BC33-71D	10.4	640 x 480	243 x 185.1 x 10.5	LVDS	900:1	450	-30 to 80		80/80/80/80	Add
NL6448BC33-71F	10.4	640 x 480	243.0 x 185.1 x 10.5	LVDS	900:1	900	-30 to 80		80/80/80/80	Add
NL8060AC26-52D View Details (/products-technology/product/NL8060AC26-52D)	10.4	800 x 600	243.0 x 185.1 x 10.5	LVDS	900:1	400	-30 to 80		80/80/80/80	Add
NL8060AC26-54D	10.4	800 x 600	227.3 x 177.5 x 9.3	LVDS	900:1	400	-30 to 80		80/80/80/80	Add
NL8060BC26-35	10.4	800 x 600	243 x 185.1 x 10.5	LVDS	900:1	400	-30 to 80		80/80/80/80	Add
NL8060BC26-35BA	10.4	800 x 600	243.0 x 185.1 x 12.4	LVDS	900:1	350	-30 to 80	PCAP	80/80/80/80	Add
NL8060BC26-35BD	10.4	800 x 600	243.0 x 185.1 x 12.6	LVDS	900:1	350	-30 to 80	PCAP	80/80/80/80	Add

Go to the first pageGo to the previous page

- 6
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Go to the next pageGo to the last page101 - 120 of 173 items

JDI0006262

Company & Services (/company-services)   Products & Technology (/products-technology)   News & Information (/news-information)

PRODUCT SEARCH

Brand

| All Products ▼ |

Size

DragDrag

Resolution

| All Resolutions ▼ |

Brightness (Typical)

DragDrag

○ Alpha ⊛   Numeric ✔

Interface

| ▼ |

Search

Part Number	Diagonal Size (in)	Resolution	Module Size	Interface	Contrast Ratio	Brightness (nits)	Oper. Temp (°C)	Touch Panel	Viewing Angle (T|B|L|R)	Comp. Prod.
NL8060BC26-35C	10.4	800 x 600	243 x 185.1 x 10.5	LVDS	900:1	800	-30 to 80		80/80/80/80	Add
NL8060BC26-35D	10.4	800 x 600	243 x 185.1 x 10.5	LVDS	900:1	400	-30 to 80		80/80/80/80	Add
NL8060BC26-35E	10.4	800 x 600	243.0 x 185.1 x 10.5	LVDS	900:1	400	-30 to 80		80/80/80/80	Add
NL8060BC26-35F	10.4	800 x 600	243 x 185.1 x 10.5	LVDS	900:1	800	-30 to 80		80/80/80/80	Add
NLB104SV01L-01	10.4	800 x 600	243 x 185.1 x 10.5	LVDS	900:1	400	-20 to 70		80/80/80/80	Add
TM104SDH01-00	10.4	800 x 600	236.00 x 176.90 x 5.60	LVDS	400:1	400	-20 to +70	No	60/70/70/70	Add
TM104SDHG30-00	10.4	800 x 600	228.40 x 175.40 x 6.20	RGB	500:1	350	-10 to +60	No	60/70/70/70	Add
NL12876AC18-03	10.6	1280 x 768	248.8 x 155.8 x 6.5	LVDS	1000:1	300	-20 to 70		88/88/88/88	Add
NL12876AC18-03D	10.6	1280 x 768	248.8 x 155.8 x 6.5	LVDS	1000:1	300	-20 to 70		88/88/88/88	Add
NL12876AC18-07DC	10.6	1280 x 768	267.8 x 174.2 x (8.7)	LVDS	1000:1	250	-20 to 70	PCAP	88/88/88/88	Add
NL10276BC24-21	12.1	1024 x 768	260.5 x 203.0 x 8.7	LVDS	900:1	450	-30 to 80		80/80/80/80	Add
NL10276BC24-21L	12.1	1024 x 768	260.5 x 203.0 x 8.7	LVDS	900:1	450	-30 to 80		80/80/80/80	Add
NL12880AC20-14D	12.1	1280 x 800	277.7 x 180.6 x 8.7	LVDS	800:1	450	-30 to 80		80/80/80/80	Add
NL12880BC20-05	12.1	1280 x 800	277.7 x 180.6 x 8.7	LVDS	1000:1	450	-20 to 70		88/88/88/88	Add
NL12880BC20-05BA	12.1	1280 x 800	277.7 x 180.6 x 10.6	LVDS	1000:1	400	-20 to 70	PCAP	88/88/88/88	Add
NL12880BC20-05BD	12.1	1280 x 800	277.7 x 180.6 x 11.2	LVDS	1000:1	400	-20 to 70	PCAP	88/88/88/88	Add
NL12880BC20-05D View Details (/products-technology/product/NL12880BC20-05D)	12.1	1280 x 800	277.7 x 180.6 x 8.7	LVDS	1000:1	450	-20 to 70		88/88/88/88	Add
NL12880BC20-07F	12.1	1280 x 800	277.7 x 180.6 x 8.7	LVDS	800:1	1800	-20 to 70		80/80/80/80	Add
NL8060BC31-47	12.1	800 x 600	280 x 210 x 11	LVDS	900:1	450	-30 to 80		80/80/80/80	Add
NL8060BC31-47D	12.1	800 x 600	280 x 210 x 11	LVDS	900:1	450	-30 to 80		80/80/80/80	Add

Go to the first pageGo to the previous page

- 7
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Go to the next pageGo to the last page121 - 140 of 173 items

JDI0006263

TIANMA
(/)

Company & Services (/company-services)   Products & Technology (/products-technology)   News & Information (/news-information)

PRODUCT SEARCH

Brand

| All Products ▼ |

Size

DragDrag

Resolution

| All Resolutions ▼ |

Brightness (Typical)

DragDrag

○ Alpha ◉   Numeric ✔

Interface

| ▼ |

Search

Part Number	Diagonal Size (in)	Resolution	Module Size	Interface	Contrast Ratio	Brightness (nits)	Oper. Temp (°C)	Touch Panel	Viewing Angle (T|B|L|R)	Comp. Prod.
NL8060BC31-50F	12.1	800 x 600	260.5 x 203.0 x 8.7	RGB	1000:1	900	-30 to 80		80/80/80/80	Add
NL8060BC31-51C	12.1	800 x 600	260.5 x 203.0 x 8.7	LVDS	1000:1	900	-30 to 80		80/80/80/80	Add
NLB121SV01L-01	12.1	800 x 600	279 x 209 x 9.0	LVDS	700:1	450	-20 to 70		65/75/80/80	Add
NLB121XG01L-01	12.1	1024 x 768	279.0 x 209.0 x 9.0	LVDS	700:1	450	-20 to 70		80/80/80/80	Add
TM121SDS01-05	12.1	800 x 600	279.00 x 209.00 x 9.00	LVDS	700:1	450	-20 to +70	No	65/75/80/80	Add
TM121TDSG02-00	12.1	1024 x 768	279.00 x 209.00 x 8.60	LVDS	700:1	450	-20 to +70	No	80/80/80/80	Add
NL10276AC30-42C	15.0	1024 x 768	326.5 x 253.5 x 11.8	LVDS	600:1	600	-20 to 70		80/80/80/80	Add
NL10276AC30-45D	15.0	1024 x 768	326.5 x 253.5 x 11.8	LVDS	600:1	400	-20 to 70		80/80/80/80	Add
NL10276AC30-48D	15.0	1024 x 768	326.5 x 253.5 x 11.8	LVDS	900:1	350	-20 to 70		88/88/88/88	Add
NL10276BC30-34D	15.0	1024 x 768	326.5 x 253.5 x 11.5	LVDS	600:1	500	-20 to 70		80/80/80/80	Add
NL10276BC30-34R	15.0	1024 x 768	326.5 x 253.5 x 11.5	LVDS	600:1	400	-20 to 70		80/80/80/80	Add
NL10276BC30-39	15.0	1024 x 768	326.5 x 253.5 x 11.7	LVDS	900:1	330	-20 to 70		88/88/88/88	Add
NL10276KC30-43DD View Details (/products-technology/product/NLB150XG01L-01)	15.0	1024 x 768	326.5 x 253.5 x 14.9	LVDS	600:1	450	-20 to 70	PCAP	80/80/80/80	Add
NLB150XG01L-01	15.0	1024 x 768	326.5 x 253.5 x 11.8	LVDS	600:1	400	-20 to 70		80/80/80/80	Add
NLB150XG02L-01	15.0	1024 x 768	326.5 x 253.5 x 11.8	LVDS	600:1	400	-20 to 70		80/80/80/80	Add
NLB150XG02L-02	15.0	1024 x 768	326.5 x 253.5 x 11.8	LVDS	600:1	250	-20 to 70		80/80/80/80	Add
TM150TDSG70-01	15.0	1024 x 768	326.50 x 253.50 x 11.80	LVDS	800:1	300	-20 to +70	No	80/80/80/80	Add
TM150TDSG71-01	15.0	1024 x 768	326.5 x 253.5 x 11.8	LVDS	800 : 1	450	-20 to +70	NO	80/80/80/80	Add
NL12876BC26-32D	15.3	1280 x 768	358 x 226 x 13.8	LVDS	700:1	470	-20 to 70		88/88/88/88	Add
NL12876BC26-33NA	15.3	1280 x 768	358 x 226 x 16.2	LVDS	700:1	470	-20 to 70	PCAP	88/88/88/88	Add

Go to the first pageGo to the previous page
- 8
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Go to the next pageGo to the last page141 - 160 of 173 items

JDI0006264

TIANMA
(/)

Company & Services (/company-services)   Products & Technology (/products-technology)   News & Information (/news-information)

PRODUCT SEARCH

Brand

| All Products | ▼ |

Resolution

| All Resolutions | ▼ |

○ Alpha ◉   Numeric ✔

Interface

| | ▼ |

Size

DragDrag

Brightness (Typical)

DragDrag

Search

Part Number	Diagonal Size (in)	Resolution	Module Size	Interface	Contrast Ratio	Brightness (nits)	Oper. Temp (°C)	Touch Panel	Viewing Angle (T|B|L|R)	Comp. Prod.
NL13676AC25-01D	15.6	1366 x 768	363.8 x 215.9 x 10.3	LVDS	900:1	400	-20 to 70		80/80/80/80	Add
NL13676BC25-03F	15.6	1366 x 768	363.8 x 215.9 x 12.65	LVDS	900:1	1100	-20 to 70		80/80/80/80	Add
NL192108AC18-01D	15.6	1920 x 1080	363.8 x 215.9 x (6.3)	eDP, 2Ln	750:1	400	-20 to 70		88/88/88/88	Add
NL192108AC18-02D	15.6	1920 x 1080	363.8 x 215.9 x (6.3)	LVDS, 2ch	750:1	400	-20 to 70		88/88/88/88	Add
NL128102AC26-01	17.0	1280 x 1024	358.5 x 296.5 x (13.5)	LVDS, 2ch	1000:1	400	-20 to 70		80/80/80/80	Add
NL192108AC21-01	18.5	1920 x 1080	430.4 x 254.6 x TBD	eDP, 2Ln	700:1	400	-20 to 70		88/88/88/88	Add
NL128102AC29-17	19.0	1280 x 1024	396 x 324 x 18	LVDS, 2ch	1000:1	800	-20 to 70		88/88/88/88	Add
NL160120AC27-32	21.3	1600 x 1200	457.0 x 350.0 x 21.5	LVDS, 2ch	1400:1	900	0 to 60		88/88/88/88	Add
NL160120AM27-33A	21.3	1600 x 1200	457.0 x 350.0 x 21.5	LVDS, 2ch	1400:1	1900	0 to 60		88/88/88/88	Add
NL204153AC21-17	21.3	2048 x 1536	457.0 x 350.0 x 21.5	LVDS, 4ch	1400:1	800	0 to 60		88/88/88/88	Add
NL204153AC21-25	21.3	2048 x 1536	457.0 x 350.0 x 21.5	LVDS, 4ch	1400:1	800	0 to 60		88/88/88/88	Add
NL204153AM21-18A	21.3	2048 x 1536	457 x 350 x 21.5	LVDS, 4ch	1400:1	1700	0 to 60		88/88/88/88	Add
NL256204AM16-02A	21.3	2560 x 2048	TBD	LVDS, 4ch	1400:1	2000	0 to 60		88/88/88/88	Add

Go to the first pageGo to the previous page

- 9
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Go to the next pageGo to the last page 161 - 173 of 173 items

JDI0006265